



**Publications from downloaded data provided by the
Collaborative Study on the Genetics of Alcoholism**

(COGA data as part of SAGE are marked with ‘**’)**

Maintained by
Morton Ehrenberg, Chella Kamarajan (SUNY Downstate Medical Center)
and Sherri Fisher (Washington University in St. Louis)

Last change: 2019-01-03

Number of COGA-data publications by year:

1999	2006	2007	2008	2009	2010	2011	2012
1	4	4	7	1	7	11	16
2013	2014	2015	2016	2017	2018		Total
23	21	21	10	10	4		140

Publications in 2018

1. Cabana-Dominguez J, Arenas C, Cormand B, Fernandez-Castillo N (2018) MiR-9, miR-153 and miR-124 are down-regulated by acute exposure to cocaine in a dopaminergic cell model and may contribute to cocaine dependence. *Translational Psychiatry* 8(1):173. PMID: 30166527.
2. Donvito G, Muldoon PP, Jackson KJ, Ahmad U, Zaveri NT, McIntosh JM, Chen X, Lichtman AH, Damaj MI (2018). Neuronal nicotinic acetylcholine receptors mediate (9) -THC dependence: Mouse and human studies. *Addiction Biology* [Epub ahead of print]. PMID: 30378732.
3. Pineda-Cirera L, Cabana-Dominguez J, Roncero C, Cozar M, Grau-Lopez L, Abad AC, Martinez-Luna N, Robles-Martinez M, Sanchez-Mora C, Ramos-Quiroga JA, Casas M, Ribases M, Fernandez-Castillo N, Cormand B (2018) Evaluation of previous substance dependence genome-wide significant findings in a Spanish sample. *Drug and Alcohol Dependence*, 187:358-362. PMID: 29715653.
4. Sulovari A, Liu Z, Zhu Z, Li D (2018) Genome-wide meta-analysis of copy number variations with alcohol dependence. *The Pharmacogenomics Journal*, 18(3):398-405. PMID: 28696413.

Publications in 2017

1. Jensen KP, Smith AH, Herman AI, Farrer LA, Kranzler HR, Sofuoglu M, Gelernter J (2017). A protocadherin gene cluster regulatory variant is associated with nicotine withdrawal and the urge to smoke. *Mol Psychiatry* 22(2):242-249. PMID: 27067016.
2. Liu D, Zhang H (2018) Residuals and Diagnostics for Ordinal Regression Models: A Surrogate Approach. *Journal of the American Statistical Association*, 113(522):845-854. PMID: 30220754. (PDF file)
3. Martinez-Rivera A, Hao J, Tropea TF, Giordano TP, Kosovsky M, Rice RC, Lee A, Haganir RL, Striessnig J, Addy NA, Han S, Rajadhyaksha AM (2017). Enhancing VTA Cav1.3 L-type Ca(2+) channel activity promotes cocaine and mood-related behaviors via overlapping AMPA receptor mechanisms in the nucleus accumbens. *Mol Psychiatry* 22(12):1735-1745. PMID: 28194001.
4. Melroy-Greif WE, Simonson MA, Corley RP, Lutz SM, Hokanson JE, Ehringer MA (2017) Examination of the Involvement of Cholinergic-Associated Genes in Nicotine Behaviors in European and African Americans. *Nicotine & Tobacco Research : Official Journal of the Society for Research on Nicotine and Tobacco*, 19(4):417-425. PMID: 27613895.
5. Polimanti R, Zhang H, Smith AH, Zhao H, Farrer LA, Kranzler HR, Gelernter J (2017). Genome-wide association study of body mass index in subjects with alcohol dependence. *Addiction Biology*, 22(2):535-549. PMID: 26458734. PMC5102811.
6. Wang J, Talluri R, Shete S (2017). Selection of X-chromosome Inactivation Model. *Cancer informatics*, 16: [Epub]. PMID: 29308008.
7. Wang M, Huang J, Liu Y, Ma L, Potash JB, Han S (2017) COMBAT: A Combined Association Test for Genes Using Summary Statistics. *Genetics*, 207(3):883-891. PMID: 28878002.
8. Yang HC, Chen IC, Tsay YC, Li ZR, Chen CH, Hwu HG, Chen CH (2017) Using an Event-History with Risk-Free Model to Study the Genetics of Alcoholism. *Scientific reports*, 7(1):1975. PMID: 28512340.
9. Yang J, Li MD (2014) Association and interaction analyses of 5-HT₃ receptor and serotonin transporter genes with alcohol, cocaine, and nicotine dependence using the SAGE data. *Human genetics*, 133(7):905-18. PMID: 24590108.
10. Zollanvari A, Alterovitz G (2017) SNP by SNP by environment interaction network of alcoholism. *BMC systems biology*, 11(Suppl 3):19. PMID: 28361705.

Publications in 2016

1. Bidwell LC, Palmer RH, Brick L, McGeary JE, Knopik VS (2016) Genome-wide single nucleotide polymorphism heritability of nicotine dependence as a multidimensional phenotype. *Psychological medicine*, 46(10):2059-69. PMID: 27052577.
2. Clarke TK, Smith AH, Gelernter J, Kranzler HR, Farrer LA, Hall LS, Fernandez-Pujals AM, MacIntyre DJ, Smith BH, Hocking LJ, Padmanabhan S, Hayward C, Thomson PA, Porteous DJ, Deary IJ, McIntosh AM (2016) Polygenic risk for alcohol dependence associates with alcohol consumption, cognitive function and social deprivation in a population-based cohort. *Addiction biology*, 21(2):469-80. PMID: 25865819.

3. Li, M; Wei, CS; Wen, YL; Wang, T; Lu, Q (2016) Detecting Gene-Gene Interactions Associated with Multiple Complex Traits with U-Statistics *Current Genomics*, 17 (5):403-415.
4. Melroy-Greif WE, Vadasz C, Kamens HM, McQueen MB, Corley RP, Stallings MC, Hopfer CJ, Krauter KS, Brown SA, Hewitt JK, Ehringer MA (2016) Test for association of common variants in GRM7 with alcohol consumption. *Alcohol (Fayetteville, NY)*, 55:43-50. PMID: 27788777.
5. Owusu D, Pan Y, Xie C, Harirforoosh S, Wang KS. Polymorphisms in PDLIM5 gene are associated with alcohol dependence, type 2 diabetes, and hypertension. *J Psychiatr Res*. 2016; 84:27-34.
6. Palmer, RHC; Nugent, NR; Brick, LA; Bidwell, CL; McGeary, JE; Keller, MC; Knopik, VS (2016) Evidence of Shared Genome-Wide Additive Genetic Effects on Interpersonal Trauma Exposure and Generalized Vulnerability to Drug Dependence in a Population of Substance Users *Journal of Traumatic Stress*, 29 (3):197-204
7. Perry BL (2016). Gendering Genetics: Biological Contingencies in the Protective Effects of Social Integration for Men and Women. *American Journal of Sociolology*, 121(6):1655-96. PMID: 27416652
8. ***Sherva R, Wang Q, Kranzler H, Zhao H, Koesterer R, Herman A, Farrer LA, Gelernter J. Genome-wide association study of cannabis dependence severity, novel risk variants, and shared genetic risks. *JAMA Psychiatry*. 2016; 73(5):472-80. PMCID: PMC4974817.
9. Uddin M, Pellecchia G, Thiruvahindrapuram B, D'Abate L, Merico D, Chan A, Zarrei M, Tammimies K, Walker S, Gazzellone MJ, Nalpathamkalam T, Yuen RK, Devriendt K, Mathonnet G, Lemyre E, Nizard S, Shago M, Joseph-George AM, Noor A, Carter MT, Yoon G, Kannu P, Tihiy F, Thorland EC, Marshall CR, Buchanan JA, Speevak M, Stavropoulos DJ, Scherer SW. Indexing effects of copy number variation on genes involved in developmental delay. *Sci Rep*. 2016; 6:28663. PMCID: 4929460.
10. Zhao J, Zhang H (2016) Modeling Multiple Responses via Bootstrapping Margins with an Application to Genetic Association Testing. *Statistics and its interface*, 9(1):47-56. PMID: 26543519.

Publications in 2015

1. de Leeuw C, Goudriaan A, Smit AB, Yu D, Mathews CA, Scharf JM, Verheijen MH, Posthuma D (2015). Involvement of astrocyte metabolic coupling in Tourette syndrome pathogenesis. *European Journal of Human Genetics* 23:1519-1522. PMID: 25735483. PMC:4613465.
2. ***Derringer J, Corley RP, Haberstick BC, Young SE, Demmitt BA, Howrigan DP, Kirkpatrick RM, Iacono WG, McGue M, Keller MC, Brown S, Tapert S, Hopfer CJ, Stallings MC, Crowley TJ, Rhee SH, Krauter K, Hewitt JK, McQueen MB (2015). Genome-Wide Association Study of Behavioral Disinhibition in a Selected Adolescent Sample. *Behavior Genetics* 45(4):375-381. PMID: 25637581.
3. Gelernter J, Kranzler HR, Sherva R, Almasy L, Herman AI, Koesterer R, Zhao H, Farrer LA (2015) Genome-wide association study of nicotine dependence in American populations: identification of novel risk loci in both African-Americans and European-Americans. *Biological psychiatry*, 77(5):493-503. PMID: 25555482.
4. *** Li D, Zhao H, Kranzler HR, Li MD, Jensen KP, Zayats T, Farrer LA, Gelernter J (2015). Genome-wide association study of copy number variations (CNVs) with opioid dependence. *Neuropsychopharmacology* 40(4):1016-1026. PMID: 25345593. PMCID: PMC4330517.

5. *** Muldoon PP, Chen J, Harenza JL, Abdullah RA, Sim-Selley LJ, Cravatt BF, Miles MF, Chen X, Lichtman AH, Damaj MI (2015). Inhibition of monoacylglycerol lipase reduces nicotine withdrawal. *British Journal of Pharmacology* 172(3):869-882. PMID: 25258021. PMCID: PMC4301695.
6. *** Palmer RH, Brick L, Nugent NR, Bidwell LC, McGeary JE, Knopik VS, Keller MC (2015). Examining the role of common genetic variants on alcohol, tobacco, cannabis and illicit drug dependence: genetics of vulnerability to drug dependence. *Addiction* 110(3):530-537. PMID: 25424661. PMCID: PMC4329043.
7. *** Palmer RH, McGeary JE, Heath AC, Keller MC, Brick LA, Knopik VS (2015). Shared Additive Genetic Influences on DSM-IV Criteria for Alcohol Dependence in Subjects of European Ancestry. *Addiction*. PMID: 26211938.
8. Pan W, Chen YM, Wei P. Testing for polygenic effects in genome-wide association studies. *Genet Epidemiol*. 2015; 39(4):306-16. PMCID: PMC4406854
9. Polimanti R, Yang C, Zhao H, Gelernter J. Dissecting ancestry genomic background in substance dependence genome-wide association studies. *Pharmacogenomics*, 2015; 16(13):1487-1498. PMCID: PMCID:4632979.
10. ***Repunte-Canonigo V, Herman MA, Kawamura T, Kranzler HR, Sherva R, Gelernter J, Farrer LA, Roberto M, Sanna PP (2015). Nf1 regulates alcohol dependence-associated excessive drinking and gamma-aminobutyric acid release in the central amygdala in mice and is associated with alcohol dependence in humans. *Biological Psychiatry* 77:870-879. PMID: 25483400. PMC: 4428692.
11. Sadeh N, Wolf EJ, Logue MW, Lusk J, Hayes JP, McGlinchey RE, Milberg WP, Stone A, Schichman SA, Miller MW (2015). Polygenic Risk for Externalizing Psychopathology and Executive Dysfunction in Trauma-Exposed Veterans. *Clinical Psychological Science* 1-14.
12. ***Suchankova P, Yan J, Schwandt ML, Stangl BL, Caparelli EC, Momenan R, Jerlhag E, Engel JA, Hodgkinson CA, Egli M, Lopez MF, Becker HC, Goldman D, Heilig M, Ramchandani VA, Leggio L (2015). The glucagon-like peptide-1 receptor as a potential treatment target in alcohol use disorder: evidence from human genetic association studies and a mouse model of alcohol dependence. *Translational psychiatry* 5:e583. PMID: 26080318. PMC4490279.
13. Sun J, Kranzler HR, Bi Jinbo. An effective method to identify heritable components from multivariate phenotypes. *PLoS One*, 2015; 10(12): 0144418. PMCID: 4678282.
14. Talluri R, Shete S (2015) Evaluating methods for modeling epistasis networks with application to head and neck cancer. *Cancer informatics*, 14(Suppl 2):17-23. PMID: 25733798.
15. ***Wang KS, Zuo L, Pan Y, Xie C, Luo X (2015). Genetic variants in the CPNE5 gene are associated with alcohol dependence and obesity in Caucasian populations. *Journal of psychiatric research* 71:1-7. PMID: 26522866.
16. Xu K, Kranzler HR, Sherva R, Sartor CE, Almasy L, Koesterer R, Zhao H, Farrer LA, Gelernter J (2015) Genomewide Association Study for Maximum Number of Alcoholic Drinks in European Americans and African Americans. *Alcoholism, Clinical and Experimental Research*, 39(7):1137-47. PMID: 26036284.

17. *** Yu D, Mathews CA, Scharf JM, Neale BM, Davis LK, Gamazon ER, Derks EM, Evans P, Edlund CK, Crane J, Fagerness JA, Osiecki L, Gallagher P, Gerber G, Haddad S, Illmann C, McGrath LM, Mayerfeld C, Arepalli S, Barlassina C, Barr CL, Bellodi L, Benarroch F, Berrió GB, Bienvenu OJ, Black DW, Bloch MH, Brentani H, Bruun RD, Budman CL, Camarena B, Campbell DD, Cappi C, Silgado JC, Cavallini MC, Chavira DA, Chouinard S, Cook EH, Cookson MR, Coric V, Cullen B, Cusi D, Delorme R, Denys D, Dion Y, Eapen V, Egberts K, Falkai P, Fernandez T, Fournier E, Garrido H, Geller D, Gilbert DL, Girard SL, Grabe HJ, Grados MA, Greenberg BD, Gross-Tsur V, Grünblatt E, Hardy J, Heiman GA, Hemmings SM, Herrera LD, Hezel DM, Hoekstra PJ, Jankovic J, Kennedy JL, King RA, Konkashbaev AI, Kremeyer B, Kurlan R, Lanzagorta N, Leboyer M, Leckman JF, Lennertz L, Liu C, Lochner C, Lowe TL, Lupoli S, Macciardi F, Maier W, Manunta P, Marconi M, McCracken JT, Mesa Restrepo SC, Moessner R, Moorjani P, Morgan J, Muller H, Murphy DL, Naarden AL, Nurmi E, Ochoa WC, Ophoff RA, Pakstis AJ, Pato MT, Pato CN, Piacentini J, Pittenger C, Pollak Y, Rauch SL, Renner T, Reus VI, Richter MA, Riddle MA, Robertson MM, Romero R, Rosário MC, Rosenberg D, Ruhrmann S, Sabatti C, Salvi E, Sampaio AS, Samuels J, Sandor P, Service SK, Sheppard B, Singer HS, Smit JH, Stein DJ, Strengman E, Tischfield JA, Turiel M, Valencia Duarte AV, Vallada H, Veenstra-VanderWeele J, Walitza S, Wang Y, Weale M, Weiss R, Wendland JR, Westenberg HG, Shugart YY, Hounie AG, Miguel EC, Nicolini H, Wagner M, Ruiz-Linares A, Cath DC, McMahon W, Posthuma D, Oostra BA, Nestadt G, Rouleau GA, Purcell S, Jenike MA, Heutink P, Hanna GL, Conti DV, Arnold PD, Freimer NB, Stewart SE, Knowles JA, Cox NJ, Pauls DL. (2015). Cross-disorder genome-wide analyses suggest a complex genetic relationship between Tourette's syndrome and OCD. *American Journal of Psychiatry* 172(1):82-93. PMID: 26543519. PMCID: PMC4282594.
18. *** Zhao J, Zhang H (2016). Modeling Multiple Responses via Bootstrapping Margins with an Application to Genetic Association Testing. *Statistics and its interface* 9:47-56. PMID: 26543519. PMCID: PMC4629876.
19. *** Zuo L, Zhang CK, Sayward FG, Cheung KH, Wang K, Krystal JH, Zhao H, Luo X (2015). Gene-based and pathway-based genome-wide association study of alcohol dependence. *Shanghai Arch Psychiatry* 27(2):111-118. PMID: 26120261. PMCID: PMC4466852.
20. *** Zuo L, Tan Y, Zhang X, Wang X, Krystal J, Tabakoff B, Zhong C, Luo X (2015). A New Genomewide Association Meta-Analysis of Alcohol Dependence. *Alcoholism, Clinical and Experimental Research* 39(8):1388-1395. PMID: 26173551.
21. Zuo L, Saba L, Lin X, Tan Y, Wang K, Krystal JH, Tabakoff B, Luo X. Significant association between rare *IPO11-HTR1A* variants and attention deficit hyperactivity disorder in Caucasians. *Am J Med Genet B Neuropsychiatr Genet*, 2015; 168(7):544-556.

Publications in 2014

1. *** Cao, J., Liu, X., Han, S., Zhang, C.K., Liu, Z., and Li, D. (2014). Association of the *HTR2A* gene with alcohol and heroin abuse. *Human Genetics* 133(3):357-365. PMID: 24178752.
2. *** Chen, G.B., Liu, N., Klimentidis, Y.C., Zhu, X., Zhi, D., Wang, X., and Lou, X.Y. (2014). A unified GMDR method for detecting gene-gene interactions in family and unrelated samples with application to nicotine dependence. *Human Genetics* 133(2):139-150. PMID: 24178752. PMCID: PMC3947150.
3. Fenz, Z. (2014). A generalized quasi-likelihood scoring approach for simultaneously testing the genetic association of multiple traits. *Journal of the Royal Statistical Society: Series C (Applied Statistics)* 63(3):483-498.

4. Gelernter J, Kranzler HR, Sherva R, Almasy L, Koesterer R, Smith AH, Anton R, Preuss UW, Ridinger M, Rujescu D, Wodarz N, Zill P, Zhao H, Farrer LA (2014) Genome-wide association study of alcohol dependence: significant findings in African- and European-Americans including novel risk loci. *Mol Psychiatry*, 19(1):41-9. PMID: 24166409.
5. Gelernter J, Kranzler HR, Sherva R, Koesterer R, Almasy L, Zhao H, Farrer LA (2014) Genome-wide association study of opioid dependence: multiple associations mapped to calcium and potassium pathways. *Biological psychiatry*, 76(1):66-74. PMID: 24143882.
6. Gelernter J, Sherva R, Koesterer R, Almasy L, Zhao H, Kranzler HR, Farrer L (2014) Genome-wide association study of cocaine dependence and related traits: FAM53B identified as a risk gene. *Mol Psychiatry*, 19(6):717-23. PMID: 23958962.
7. Hsieh, T.-J., Chang, S.-H., and Tai, J.J. (2014). A family-based robust multivariate association test using maximum statistic. *Annals of Human Genetics* 78(2):117-128. PMID: 24571230.
8. *** Jiang, Y., Li, N., and Zhang, H. (2014). Identifying Genetic Variants for Addiction via Propensity Score Adjusted Generalized Kendall's Tau. *Journal of the American Statistical Association* 109(507):905-930. PMID: 25382885. PMCID: PMC4219655.
9. *** Li, D., Sulovari, A., Cheng, C., Zhao, H., Kranzler, H.R., and Gelernter, J. (2014). Association of gamma-aminobutyric acid A receptor $\alpha 2$ gene (GABRA2) with alcohol use disorder. *Neuropsychopharmacology* 39(4):907-918. PMID: 24136292. PMCID: PMC3924525.
10. *** Li, M., Gardiner, J.C., Breslau, N., Anthony, J.C., and Lu, Q. (2014). A non-parametric approach for detecting gene-gene interactions associated with age-at-onset. *BMC Genetics* 15:79. PMCID: PMC4087128.
11. Lobach I, Fan R, Manga P (2014) Genotype-based association models of complex diseases to detect gene-gene and gene-environment interactions. *Statistics and Its Interface*, 7(1):51-60. PMID: 26191336.
12. *** McGrath LM, Yu D, Marshall C, Davis LK, Thiruvahindrapuram B, Li B, Cappi C, Gerber G, Wolf A, Schroeder FA, Osiecki L, O'Dushlaine C, Kirby A, Illmann C, Haddad S, Gallagher P, Fagerness JA, Barr CL, Bellodi L, Benarroch F, Bienvenu OJ, Black DW, Bloch MH, Bruun RD, Budman CL, Camarena B, Cath DC, Cavallini MC, Chouinard S, Coric V, Cullen B, Delorme R, Denys D, Derks EM, Dion Y, Rosário MC, Eapen V, Evans P, Falkai P, Fernandez TV, Garrido H, Geller D, Grabe HJ, Grados MA, Greenberg BD, Gross-Tsur V, Grünblatt E, Heiman GA, Hemmings SM, Herrera LD, Hounie AG, Jankovic J, Kennedy JL, King RA, Kurlan R, Lanzagorta N, Leboyer M, Leckman JF, Lennertz L, Lochner C, Lowe TL, Lyon GJ, Macciardi F, Maier W, McCracken JT, McMahon W, Murphy DL, Naarden AL, Neale BM, Nurmi E, Pakstis AJ, Pato MT, Pato CN, Piacentini J, Pittenger C, Pollak Y, Reus VI, Richter MA, Riddle M, Robertson MM, Rosenberg D, Rouleau GA, Ruhrmann S, Sampaio AS, Samuels J, Sandor P, Sheppard B, Singer HS, Smit JH, Stein DJ, Tischfield JA, Vallada H, Veenstra-VanderWeele J, Walitza S, Wang Y, Wendland JR, Shugart YY, Miguel EC, Nicolini H, Oostra BA, Moessner R, Wagner M, Ruiz-Linares A, Heutink P, Nestadt G, Freimer N, Petryshen T, Posthuma D, Jenike MA, Cox NJ, Hanna GL, Brentani H, Scherer SW, Arnold PD, Stewart SE, Mathews CA, Knowles JA, Cook EH, Pauls DL, Wang K, and Scharf JM. (2014). Copy number variation in obsessive-compulsive disorder and tourette syndrome: a cross-disorder study. *Journal of the American Academy of Child & Adolescent Psychiatry* 53(8):910-9. PMCID: PMC4218748.
13. Muldoon PP, Jackson KJ, Perez E, Harenza JL, Molas S, Rais B, Anwar H, Zaveri NT, Maldonado R, Maskos U, McIntosh JM, Dierssen M, Miles MF, Chen X, De Biasi M, Damaj MI (2014) The

alpha3beta4* nicotinic ACh receptor subtype mediates physical dependence to morphine: mouse and human studies. *British journal of pharmacology*, 171(16):3845-57. PMID: 24750073.

14. *** Song, C. and Zhang, H. (2014). TARV: tree-based analysis of rare variants identifying risk modifying variants in CTNNA2 and CNTNAP2 for alcohol addiction. *Genetic Epidemiology* 38(6):552-559. PMID: 25041903. PMCID: PMC4154634.
15. *** Taylor, A. and Wang, K.S. (2014). Association between *DPYSL2* gene polymorphisms and alcohol dependence in Caucasian samples. *Journal of Neural Transmission* 121(1):105-111. PMID: 23846846.
16. *** Wang, J., Yu, R., and Shete, S. (2014). X-chromosome genetic association test accounting for X-inactivation, skewed X-inactivation, and escape from X-inactivation. *Genetic Epidemiology* 38(6):483-93. PMCID: PMC4127090.
17. *** Wang, S.D., van der Vaart, A., Xu, Q., Seneviratne, C., Pomerleau, O.F., Pomerleau, C.S., Payne, T.J., Ma, J.Z., and Li, M.D. (2014). Significant associations of *CHRNA2* and *CHRNA6* with nicotine dependence in European American and African American populations. *Human Genetics* 133(5):575-586. PMID: 24253422. PMCID: PMC3988215.
18. *** Yang, J. and Li, M.D. (2014). Association and interaction analysis of 5-HT3 receptor and serotonin transporter genes with alcohol, cocaine, and nicotine dependence using the SAGE data. *Human Genetics* 133(7):905-918. PMID: 24590108, PMCID: PMC4055533.
19. *** Yuan, H. and Dougherty, J.D. (2014). Investigation of Maternal Genotype Effects in Autism by Genome-Wide Association. *Autism Research* 7(2):245:253 PMID: 24574247. PMCID: PMC3989385.
20. Zuo L, Lu L, Tan Y, Pan X, Cai Y, Wang X, Hong J, Zhong C, Wang F, Zhang XY, Vanderlinden LA, Tabakoff B, Luo X (2014) Genome-wide association discoveries of alcohol dependence. *The American Journal on Addictions*, 23(6):526-39. PMID: 25278008.
21. *** Zuo, L., Wang, K., Wang, G., Pan, X., Zhang, X., Zhang, H., and Luo, X. (2014). Common *PTP4A1-PHF3-EYS* variants are specific for alcohol dependence. *American Journal on Addictions* 23(4):411-414. PMID: 24961364. PMCID: PMC4111256.

Publications in 2013

1. *** Belsky, D.W., Moffitt, T.E., Baker, T.B., Biddle, A.K., Evans, J.P., Harrington, H., Houts, R., Meier, M., Sugden, K., Williams, B., Poulton, R., and Caspi, A. (2013). Polygenic risk and the developmental progression to heavy, persistent smoking and nicotine dependence: evidence from a 4-decade longitudinal study. *JAMA Psychiatry* 70(5):534-542 PMID: 23536134.
2. *** Blaine, S., Claus, E., Harlaar, N., and Hutchison, K. (2013). TACR1 Genotypes Predict fMRI Response to Alcohol Cues and Level of Alcohol Dependence. *Alcoholism: Clinical and Experimental Research* 37(Suppl 1):E125-130. PMID: 23078527*** Cui WY, Wang S, Yang J, Yi SG, Yoon D, Kim YJ, Payne TJ, Ma JZ, Park T, Li MD. (2013). Significant association of *CHRNA3* variants with nicotine dependence in multiple ethnic populations. *Molecular Psychiatry* 18: 1149-1151. PMID: 23319001.
3. *** Cui WY, Wang S, Yang J, Yi SG, Yoon D, Kim YJ, Payne TJ, Ma JZ, Park T, Li MD (2013) Significant association of *CHRNA3* variants with nicotine dependence in multiple ethnic populations. *Mol Psychiatry*, 18(11):1149-51. PMID: 23319001.

4. *** Davis, L.K., Yu, D., Keenan, C.L., Gamazon, E.R., Konkashbaev, A.I., Derks, E.M., Neale, B.M., Yang, J., Lee, S.H., Evans, P., Barr, C.L., Bellodi, L., Benarroch, F., Berrio, G.B., Bienvenu, O.J., Bloch, M.H., Blom, R.M., Bruun, R.D., Budman, C.L., Camarena, B., Campbell, D., Cappi, C., Cardona Silgado, J.C., Cath, D.C., Cavallini, M.C., Chavira, D.A., Chouinard, S., Conti, D.V., Cook, E.H., Coric, V., Cullen, B.A., Deforce, D., Delorme, R., Dion, Y., Edlund, C.K., Egberts, K., Falkai, P., Fernandez, T.V., Gallagher, P.J., Garrido, H., Geller, D., Girard, S.L., Grabe, H.J., Grados, M.A., Greenberg, B.D., Gross-Tsur, V., Haddad, S., Heiman, G.A., Hemmings, S.M., Hounie, A.G., Illmann, C., Jankovic, J., Jenike, M.A., Kennedy, J.L., King, R.A., Kremeyer, B., Kurlan, R., Lanzagorta, N., Leboyer, M., Leckman, J.F., Lennertz, L., Liu, C., Lochner, C., Lowe, T.L., Macciardi, F., McCracken, J.T., McGrath, L.M., Mesa Restrepo, S.C., Moessner, R., Morgan, J., Muller, H., Murphy, D.L., Naarden, A.L., Ochoa, W.C., Ophoff, R.A., Osiecki, L., Pakstis, A.J., Pato, M.T., Pato, C.N., Piacentini, J., Pittenger, C., Pollak, Y., Rauch, S.L., Renner, T.J., Reus, V.I., Richter, M.A., Riddle, M.A., Robertson, M.M., Romero, R., Rosário, M.C., Rosenberg, D., Rouleau, G.A., Ruhrmann, S., Ruiz-Linares, A., Sampaio, A.S., Samuels, J., Sandor, P., Sheppard, B., Singer, H.S., Smit, J.H., Stein, D.J., Strengman, E., Tischfield, J.A., Valencia Duarte, A.V., Vallada, H., Van Nieuwerburgh, F., Veenstra-Vanderweele, J., Walitza, S., Wang, Y., Wendland, J.R., Westenberg, H.G., Shugart, Y.Y., Miguel, E.C., McMahon, W., Wagner, M., Nicolini, H., Posthuma, D., Hanna, G.L., Heutink, P., Denys, D., Arnold, P.D., Oostra, B.A., Nestadt, G., Freimer, N.B., Pauls, D.L., Wray, N.R., Stewart, S.E., Mathews, C.A., Knowles, J.A., Cox, N.J., and Scharf, J.M. (2013). Partitioning the heritability of Tourette syndrome and obsessive compulsive disorder reveals differences in genetic architecture. *PLoS Genetics* 9(10):e1003864. PMID: PMC381203.
5. *** Du, M., Prescott, J., Cornelis, M.C., Hankinson, S.E., Giovannucci, E., Kraft, P., and De Vivo, I. (2013). Genetic predisposition to higher body mass index or type 2 diabetes and leukocyte telomere length in the Nurses' Health Study. *PLoS One* 8(2):e52240. PMID: 23424613.
6. *** Guo, X., Liu, Z., Wang, X., and Zhang, H. (2013). Genetic association test for multiple traits at gene level. *Genetic Epidemiology* 37(1):122-129. PMID: 23032486.
7. Han, S., Yang, B.-Z., Kranzler, H.R., Liu, X., Zhao, H., Farrer, L.A., Boerwinkle, E., Potash, J.B., and Gelernter, J. (2013). Integrating GWASs and human protein interaction networks identifies a gene subnetwork underlying alcohol dependence. *The American Journal of Human Genetics* 93(6):1027-34 PMID: 24268660.
8. *** Liu, Z., Guo, X., Jiang, Y., and Zhang, H. (2013). *NCK2* is significantly associated with opiates addiction in african-origin men. *The Scientific World Journal* 2013:748979. PMID: 23533358.
9. Lopes, A.M., Aston, K.I., Thompson, E., Carvalho, F., Gonçalves, J., Huang, N., Matthiesen, R., Noordam, M.J., Quintela, I., Ramu, A., Seabra, C., Wilfert, A.B., Dai, J., Downie, J.M., Fernandes, S., Guo, X., Sha, J., Amorim, A., Barros, A., Carracedo, A., Hu, Z., Hurles, M.E., Moskvovtsev, S., Ober, C., Paduch, D.A., Schiffman, J.D., Schlegel, P.N., Sousa, M., Carrell, D.T., and Conrad, D.F. (2013). Human spermatogenic failure purges deleterious mutation load from the autosomes and both sex chromosomes, including the gene *DMRT1*. *PLoS Genetics* 9(3):e1003349. PMID: 23555275. PMID: PMC3605256.
10. *** Pan, Y., Pan, Y., Luo, X., Liu, X., Wu, L.Y., Zhang, Q., Wang, L., Wang, W., Zuo, L., and Wang, K.S. (2013). Genome-wide association studies of maximum number of drinks. *Journal of Psychiatric Research* 47(11):1717-1724. PMID: 23953852.

11. *** Pan, Y., Wang, K.-S., Wang, L., and Wu, L.Y. (2013). Common Variants in HLA-DRA Gene are Associated with Alcohol Dependence in Two Caucasian Samples. *Journal of Molecular Neuroscience* 49(3):574-581. PMID: 22890421.
12. *** Ray, L.A., Sehl, M., Bujarski, S., Hutchison, K., Blaine, S., and Enoch, M.A. (2013). The *CRHR1* gene, trauma exposure, and alcoholism risk: a test of $G \times E$ effects. *Genes, Brain and Behavior* 12(4):361-369. PMID: 23473364.
13. Scharf JM, Yu D, Mathews CA, Neale BM, Stewart SE, Fagerness JA, Evans P, Gamazon E, Edlund CK, Service SK, Tikhomirov A, Osiecki L, Illmann C, Pluzhnikov A, Konkashbaev A, Davis LK, Han B, Crane J, Moorjani P, Crenshaw AT, Parkin MA, Reus VI, Lowe TL, Rangel-Lugo M, Chouinard S, Dion Y, Girard S, Cath DC, Smit JH, King RA, Fernandez TV, Leckman JF, Kidd KK, Kidd JR, Pakstis AJ, State MW, Herrera LD, Romero R, Fournier E, Sandor P, Barr CL, Phan N, Gross-Tsur V, Benarroch F, Pollak Y, Budman CL, Bruun RD, Erenberg G, Naarden AL, Lee PC, Weiss N, Kremeyer B, Berrio GB, Campbell DD, Cardona Silgado JC, Ochoa WC, Mesa Restrepo SC, Muller H, Valencia Duarte AV, Lyon GJ, Leppert M, Morgan J, Weiss R, Grados MA, Anderson K, Davarya S, Singer H, Walkup J, Jankovic J, Tischfield JA, Heiman GA, Gilbert DL, Hoekstra PJ, Robertson MM, Kurlan R, Liu C, Gibbs JR, Singleton A, Hardy J, Strengman E, Ophoff RA, Wagner M, Moessner R, Mirel DB, Posthuma D, Sabatti C, Eskin E, Conti DV, Knowles JA, Ruiz-Linares A, Rouleau GA, Purcell S, Heutink P, Oostra BA, McMahon WM, Freimer NB, Cox NJ, Pauls DL (2013) Genome-wide association study of Tourette's syndrome. *Mol Psychiatry*, 18(6):721-8. PMID: 22889924.
14. *** Stewart SE, Yu D, Scharf JM, Neale BM, Fagerness JA, Mathews CA, Arnold PD, Evans PD, Gamazon ER, Davis LK, Osiecki L, McGrath L, Haddad S, Crane J, Hezel D, Illman C, Mayerfeld C, Konkashbaev A, Liu C, Pluzhnikov A, Tikhomirov A, Edlund CK, Rauch SL, Moessner R, Falkai P, Maier W, Ruhrmann S, Grabe HJ, Lennertz L, Wagner M, Bellodi L, Cavallini MC, Richter MA, Cook EH Jr, Kennedy JL, Rosenberg D, Stein DJ, Hemmings SM, Lochner C, Azzam A, Chavira DA, Fournier E, Garrido H, Sheppard B, Umaña P, Murphy DL, Wendland JR, Veenstra-VanderWeele J, Denys D, Blom R, Deforce D, Van Nieuwerburgh F, Westenberg HG, Walitza S, Egberts K, Renner T, Miguel EC, Cappi C, Hounie AG, Conceição do Rosário M, Sampaio AS, Vallada H, Nicolini H, Lanzagorta N, Camarena B, Delorme R, Leboyer M, Pato CN, Pato MT, Voyiaziakis E, Heutink P, Cath DC, Posthuma D, Smit JH, Samuels J, Bienvenu OJ, Cullen B, Fyer AJ, Grados MA, Greenberg BD, McCracken JT, Riddle MA, Wang Y, Coric V, Leckman JF, Bloch M, Pittenger C, Eapen V, Black DW, Ophoff RA, Strengman E, Cusi D, Turiel M, Frau F, Macciardi F, Gibbs JR, Cookson MR, Singleton A; North American Brain Expression Consortium, Hardy J; UK Brain Expression Database, Crenshaw AT, Parkin MA, Mirel DB, Conti DV, Purcell S, Nestadt G, Hanna GL, Jenike MA, Knowles JA, Cox N, and Pauls DL. (2013). Genome-wide association study of obsessive-compulsive disorder. *Molecular Psychiatry* 18(7):788-798. PMCID: PMC4218751.
15. *** Wang, L., Liu, X., Luo, X., Zeng, M., Zuo, L., and Wang, K.-S. (2013). Genetic Variants in the Fat Mass- and Obesity-Associated (FTO) Gene are Associated with Alcohol Dependence. *Journal of Molecular Neuroscience* 51(2):416-424. PMID: 23771786.
16. *** Wen, Y, Schaid, D.J., and Lu, Q. (2013). A bivariate Mann-Whitney approach for unraveling genetic variants and interactions contributing to comorbidity. *Genetic Epidemiology* 37(3):248-255. PMID: 23334941.
17. ***Zuo, L.J., Saba, L., Wang, K.S., Zhang, X.Y., Krystal, J.H., Tabakoff, B., and Luo, X.G. (2013). Exome-Wide Association Study of Replicable Nonsynonymous Variants Conferring Risk for Alcohol Dependence *Journal of Studies on Alcohol and Drugs* 74(4):622-625. PMID: 23739027.

18. *** Zuo, L., Wang, K., Zhang, X.Y., Krystal, J.H., Li, C.S., Zhang, F., Zhang, H., and Luo, X. (2013). *NKAIN1-SERINC2* is a functional, replicable and genome-wide significant risk gene region specific for alcohol dependence in subjects of European descent. *Drug and Alcohol Dependence* 129(3):254-264. PMID: 23455491.
19. Zuo, L., Wang, K.S., Zhang, X.Y., Li, C.S., Zhang, F., Wang, X., Chen, W., Gao, G., Zhang, H., Krystal, J.H., and Luo, X. (2013). Rare SERINC2 variants are specific for alcohol dependence in individuals of European descent. *Pharmacogenetics and Genomics* 23(8):395-402. PMID: 23778322.
20. Zuo, L., Wang, K., Zhang, X., Pan, X., Wang, G., Krystal, J.H., Zhang, H., and Luo, X. (2013). Sex chromosome-wide association analysis suggested male-specific risk genes for alcohol dependence. *Psychiatric Genetics* 23(6):233-238. PMID: 23907288.
21. Zuo, L., Wang, K., Zhang, X.Y., Pan, X., Wang, G., Tan, Y., Zhong, C., Krystal, J.H., State, M., Zhang, H., and Luo, X. (2013). Association between common alcohol dehydrogenase gene (*ADH*) variants and schizophrenia and autism. *Human Genetics* 132(7):735-743. PMID: 23468174.
22. *** Zuo, L., Zhang, H., Malison, R.T., Li, C.S., Zhang, X.Y., Wang, F., Lu, L., Lu, L., Wang, X., Krystal, J.H., Zhang, F., Deng, H.W., and Luo, X. (2013). Rare ADH variant constellations are specific for alcohol dependence. *Alcohol and Alcoholism* 48(1):9-14. PMID: 23019235.
23. *** Zuo, L., Zhang, X.Y., Wang, F., Li, C.S., Lu, L., Ye, L., Zhang, H., Krystal, J.H., Deng, H.W., and Luo, X. (2013). Genome-wide significant association signals in *IPO11-HTR1A* region specific for alcohol and nicotine dependence. *Alcoholism: Clinical and Experimental Research* 37(5):730-739. PMID: 23216389.

Publications in 2012

1. Fang, Y.H. and Chiu, Y.F. (2012). SVM-based generalized multifactor dimensionality reduction approaches for detecting gene-gene interactions in family studies. *Genetic Epidemiology* 36(2):88-98. PMID: 23032486.
2. *** Frank, J., Cichon, S., Treutlein, J., Ridinger, M., Mattheisen, M., Hoffmann, P., Herms, S., Wodarz, N., Soyka, M., Zill, P., Maier, W., Mössner, R., Gaebel, W., Dahmen, N., Scherbaum, N., Schmä, C., Steffens, M., Lucae, S., Ising, M., Müller-Myhsok, B., Nöthen, M.M., Mann, K., Kiefer, F., and Rietschel M. (2012). Genome-wide significant association between alcohol dependence and a variant in the *ADH* gene cluster. *Addiction Biology* 17(1):171-180. PMCID: PMC3245349.
3. *** Guo, X., Liu, Z., Wang, X., and Zhang, H. (2012). Large scale association analysis for drug addiction: results from SNP to gene. *ScientificWorldJournal* 2012:939584. PMCID: PMC3543790.
4. *** Han, S., Yang, B.Z., Kranzler, H.R., Oslin, D., Anton, R., Farrer, L.A., and Gelernter, J. (2012). Linkage analysis followed by association show *NRG1* associated with cannabis dependence in African Americans. *Biological Psychiatry* 72(8):637-644.
5. *** Jackson, K.J., Sanjakdar, S.S., Chen, X., and Damaj, M.I. (2012). Nicotine reward and affective nicotine withdrawal signs are attenuated in calcium/calmodulin-dependent protein kinase IV knockout mice. *PLoS One* 7(11):e51154. PMID: 23226481.

6. *** Karpyak, V.M., Geske, J.R., Colby, C.L., Mrazek, D.A., and Biernacka, J.M. (2012). Genetic variability in the NMDA-dependent AMPA trafficking cascade is associated with alcohol dependence. *Addiction Biology* 17(4):798-806. PMCID: PMC3197973.
7. Listgarten, J., Lippert, C., Kadie, C.M., Davidson, R.I., Eskin, E., and Heckerman, D. (2012). Improved linear mixed models for genome-wide association studies. *Nature Methods* 9: 525-526.
8. *** Shirley, M.D., Baugher, J.D., Stevens, E.L., Tang, Z., Gerry, N., Beiswanger, C.M., Berlin, D.S., and Pevsner, J. (2012). Chromosomal variation in lymphoblastoid cell lines. *Human Mutation* 33(7):1075-1086. PMCID: PMC3370055.
9. Thornton, T., Zhang, Q., Cai, X., Ober, C., and McPeck, M.S. (2012). XM: Association testing on the X chromosome in case-control samples with related individuals. *Genetic Epidemiology* 36(5):438-450.
10. *** Wang, K.S., Liu, X., Aragam, N., Mullersman, J.E., Jian, X., Pan, Y., and Liu, Y. (2012). Polymorphisms in *ABLM1* are associated with personality traits and alcohol dependence. *Journal of Molecular Neuroscience* 46(2):265-271.
11. *** Wang, K.S., Liu, X., Zhang, Q., Wu, L.Y., and Zeng, M. (2012). Genome-wide association study identifies 5q21 and 9p24.1 (*KDM4C*) loci associated with alcohol withdrawal symptoms. *Journal of Neural Transmission* 119(4):425-433.
12. *** Wang, K.S., Liu, X., Zhang, Q., and Zeng, M. (2012). *ANAPC1* and *SLCO3A1* are associated with nicotine dependence: Meta-analysis of genome-wide association studies. *Drug Alcohol Depend* 124(3):325-332.
13. *** Wang, K.S., Liu, X., Zheng, S., Zeng, M., Pan, Y., and Callahan, K. (2012). A novel locus for body mass index on 5p15.2: A meta-analysis of two genome-wide association studies. *Gene* 500(1):80-84.
14. Zhu, W., Jiang, Y., and Zhang, H. (2012). Nonparametric covariate-adjusted association tests based on the generalized Kendall's Tau. *Journal of the American Statistical Association* 107(497):1-11.
15. *** Zuo, L., Gelernter, J., Zhang, C.K., Zhao, H., Lu, L., Kranzler, H.R., Malison, R.T., Li, C.S., Wang, F., Zhang, X.Y., Deng, H.W., Krystal, J.H., Zhang, F., and Luo, X. (2012). Genome-wide association study of alcohol dependence implicates *KIAA0040* on chromosome 1q. *Neuropsychopharmacology* 37(2):557-566. PMCID: PMC3242317.
16. *** Zuo, L., Zhang, F., Zhang, H., Zhang, X.Y., Wang, F., Li, C.S., Lu, L., Hong, J., Lu, L., Krystal, J.H., Deng, H.W., and Luo X. (2012). Genome-wide search for replicable risk gene regions in alcohol and nicotine co-dependence. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics* 159B(4):437-444. PMCID: PMC3405545.

Publications in 2011

1. *** Chen, X., Cho, K., Singer, B.H., and Zhang, H. (2011). The nuclear transcription factor *PKNOX2* is a candidate gene for substance dependence in European-origin women. *PLoS One* 6(1):e16002. PMID: 21298047.
2. *** Drgon, T., Johnson, C.A., Nino, M., Drgonova, J., Walther, D.M., and Uhl, G.R. (2011). "Replicated" genome wide association for dependence on illegal substances: genomic regions identified

by overlapping clusters of nominally positive SNPs. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics* 156:125-138. PMID: 21302341.

3. Feng, Z., Wong, W., Gao, X., and Schenkel, F. (2011). Generalized genetic association study with samples of related individuals. *Annals of Applied Statistics* 5(3):2019-2030.
4. Jian, X.Q., Wang, K.S., Wu, T.J., Hillhouse, J.J., and Mullersman, J.E. (2011). Association of *ADAM10* and *CAMK2A* polymorphisms with conduct disorder: Evidence from family-based studies. *Journal of Abnormal Child Psychology* 39(6):773-782.
5. *** Johnson, C., Drgon, T., Walther, D., and Uhl, G.R. (2011). Genomic regions identified by overlapping clusters of nominally-positive SNPs from genome-wide studies of alcohol and illegal substance dependence. *PLoS One* 6(7):e19210. PMCID: PMC3144872.
6. Lippert, C., Listgarten, J., Liu, Y., Kadie, C.M., Davidson, R.I., and Heckerman, D. (2011). FaST linear mixed models for genome-wide association studies. *Nature Methods* 8(10):833-835.
7. Pan, Y., Wang, K.S., and Aragam, N. (2011). *NTM* and *NR3C2* polymorphisms influencing intelligence: family-based association studies. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 35(1):154-160.
8. Wang, K.S., Liu, X., Aragam, N., Jian, X., Mullersman, J.E., Liu, Y., and Pan, Y. (2011). Family-based association analysis of alcohol dependence in the COGA sample and replication in the Australian twin-family study. *Journal of Neural Transmission* 118(9): 1293-1299.
9. Wang, K.S., Liu, X., Zhang, Q., Pan, Y., Aragam, N., and Zeng, M. (2011). A meta-analysis of two genome-wide association studies identifies 3 new loci for alcohol dependence. *Journal of Psychiatric Research* 45(11):1419-1425. PMID: 21703634.
10. Wang, Z. (2011). Direct assessment of multiple testing correction in case-control association studies with related individuals. *Genetic Epidemiology* 35(1):70-79. PMID: 21181898.
11. Zuo, L., Zhang, C.K., Wang, F., Li, C.S., Zhao, H., Lu, L., Zhang, X.Y., Lu, L., Zhang, H., Zhang, F., Krystal, J.H., and Luo, X. (2011). A novel, functional and replicable risk gene region for alcohol dependence identified by genome-wide association study. *PLoS One* 6(11):e26726. PMID: 22096494.

Publications in 2010

1. Chiu, Y.-F., Chiou, J.-M., Liang, K.-Y., and Lee, C.-Y. (2010). Incorporation of covariates in simultaneous localization of two linked loci using affected relative pairs. *BMC Genetics* 11:67.
2. Diao, G., and Lin, D.Y. (2010). Variance-components methods for linkage and association analysis of ordinal traits in general pedigrees. *Genetic Epidemiology* 34(3):232-237. PMID: 19918762
3. *** Drgon, T., Zhang, P.-W., Johnson, C., Walther, D., Hess, J., Nino, M., and Uhl, G.R. (2010). Genome wide association for addiction: replicated results and comparisons of two analytic approaches. *PLoS One* 5(1):e8832. PMID: 20098672.
4. Han, S., Gelernter, J., Luo, X., and Yang, B.Z. (2010). Meta-analysis of 15 genome-wide linkage scans of smoking behavior. *Biological Psychiatry* 67(1):12-19. PMID: 19819424

5. *** Noor, A., Whibley, A., Marshall, C.R., Gianakopoulos, P.J., Piton, A., Carson, A.R., Orlic-Milacic, M., Lionel, A.C., Sato, D., Pinto, D., Drmic, I., Noakes, C., Senman, L., Zhang, X., Mo, R., Gauthier, J., Crosbie, J., Pagnamenta, A.T., Munson, J., Estes, A.M., Fiebig, A., Franke, A., Schreiber, S., Stewart, A.F., Roberts, R., McPherson, R., Guter, S.J., Cook, E.H., Jr., Dawson, G., Schellenberg, G.D., Battaglia, A., Maestrini, E.; Autism Genome Project Consortium, Jeng, L., Hutchison, T., Rajcan-Separovic, E., Chudley, A.E., Lewis, S.M., Liu, X., Holden, J.J., Fernandez, B., Zwaigenbaum, L., Bryson, S.E., Roberts, W., Szatmari, P., Gallagher, L., Stratton, M.R., Gecz, J., Brady, A.F., Schwartz, C.E., Schachar, R.J., Monaco, A.P., Rouleau, G.A., Hui, C.C., Lucy Raymond, F., Scherer, S.W., and Vincent, J.B. (2010). Disruption at the *PTCHD1* locus on Xp22.11 in autism spectrum disorder and intellectual disability. *Science Translational Medicine* 2(49):49ra68. PMCID: PMC2987731.
6. *** Thornton, T. and McPeck, M.S. (2010). ROADTRIPS: Case-control association testing with partially or completely unknown population and pedigree structure. *American Journal of Human Genetics* 86(2):172-184. PMCID: PMC2820184.
7. Zhang, H., Liu, C.-T., and Wang, X. (2010). An association test for multiple traits based on the generalized Kendall's Tau. *Journal of the American Statistical Association* 105(490):473-481. PMID: 20711441

Publications in 2009

1. Wang, Z. and McPeck, M.S. (2009). An incomplete-data quasi-likelihood approach to haplotype-based genetic association studies on related individuals. *Journal of the American Statistical Association* 104(487):1251-1260. PMID: 20428335.

Publications in 2008

1. Feng, R. and Zhang, H. (2008). A score test for linkage analysis of ordinal traits based on IBD sharing. *Biostatistics* 9(1):114-127.
2. Feng, R. and Zhang, H. (2008). A genomic imprinting test for ordinal traits in pedigree data. *Genetic Epidemiology* 32(2):132-142.
3. Ishiguro, H., Gong, J.P., Hall, F.S., Arinami, T., and Uhl, G.R. (2008). Association of *PTPRB* gene polymorphism with drug addiction. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics* 147B(7):1167-1172.
4. Jacobson, K.C., Beseler, C.L., Lasky-Su, J., Faraone, S.V., Glatt, S.J., Kremen, W.S., Lyons, M.J., and Tsuang, M.T. (2008). Ordered subsets linkage analysis of antisocial behavior in substance use disorder among participants in the Collaborative Study on the Genetics of Alcoholism. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics* 147B(7):1258-1269.
5. Jonasdottir, G., Becker, T., Humphreys, K., and Palmgren, J. (2008). Testing association in the presence of linkage using the GRE and multiple markers. *Genetic Epidemiology* 32(5):425-433.
6. Kim, Y., Duggal, P., Gillanders, E.M., Kim, H., and Bailey-Wilson, J.E. (2008). Examining the effect of linkage disequilibrium between markers on the Type I error rate and power of nonparametric multipoint linkage analysis of two-generation and multigenerational pedigrees in the presence of missing genotype data. *Genetic Epidemiology* 32(1):41-51. PMCID: PMC2216429.

7. Yang, H.C., Hsieh, H.Y., and Fann, C.S. (2008). Kernel-based association test. *Genetics* 179(2):1057-1068. PMCID: PMC2429859.

Publications in 2007

1. Dietter, J., Mattheisen, M., Fürst, R., Rüschemdorf, F., Wienker, T.F., and Strauch, K. (2007). Linkage analysis using sex-specific recombination fractions with GENEHUNTER-MODSCORE. *Bioinformatics* 23(1):64-70.
2. Ducci, F., Enoch, M.A., Funt, S., Virkkunen, M., Albaugh, B., and Goldman, D. (2007). Increased anxiety and other similarities in temperament of alcoholics with and without antisocial personality disorder across three diverse populations. *Alcohol* 41(1):3-12.
3. Ishiguro, H., Walther, D., Arinami, T., and Uhl, G.R. (2007). Variation in a bicarbonate co-transporter gene family member *SLC4A7* is associated with propensity to addictions: a study using fine-mapping and three samples. *Addiction* 102(8):1320-1325.
4. Thornton, T. and McPeck, M.S. (2007). Case-control association test with related individuals: A more powerful quasi-likelihood Score test. *American Journal of Human Genetics* 81(2):321-337. PMCID: PMC1950805.

Publications in 2006

1. Diao, G. and Lin, D.Y. (2006). Improving the power of association tests for quantitative traits in family studies. *Genetic Epidemiology* 30:301-313.
2. Diao, G. and Lin, D.Y. (2006). Semiparametric variance-component models for linkage and association analyses of censored trait data. *Genetic Epidemiology* 30:570-581.
3. Wang, X., Ye, Y., and Zhang, H. (2006). Family-based association tests for ordinal traits adjusting for covariates. *Genetic Epidemiology* 30(8):728-736.
4. Zhang, H., Wang, X., and Ye, Y. (2006). Detection of genes for ordinal traits in nuclear families and a unified approach for association studies. *Genetics* 172(1):693-699.

Publications in 1999

1. Sheffield, L.J., Knauert, M.P., Pakstis, A.J., Zhao, H., and Kidd, K.K. (1999). Analyses of the COGA data set in one ethnic group with examinations of alternative definitions of alcoholism. *Genet Epidemiol* 17(Suppl 1):S319-324. PMID: 10597456.